



Product Data

RED RUBBER GREASE

Issue Number 1
13/06/2000

Rubber Compatible Grease

DESCRIPTION

Castrol Red Rubber Grease is a medium consistency grease based on a vegetable oil and a synthetic gelling agent. It is fortified with additives to improve its resistance to oxidation and corrosion.

APPLICATION

Castrol Red Rubber Grease is formulated for rubber to rubber lubrication where any effects such as hardening or swelling of the rubber must be avoided. It can therefore be used on automotive hydraulic brake and clutch components where compatibility with natural rubber and SBR seals is involved. It may also be used to assist assembly of natural and synthetic rubber components for automotive brake and clutch systems and suspension units but not where systems use mineral oils.

FEATURES

- ◆ Carefully selected raw materials

BENEFITS

- ◆ Compatible with natural and synthetic rubber
- ◆ Good anti-corrosion properties

PERFORMANCE

Lucas Girling TS-2-34-04



Product Data

RED RUBBER GREASE

TYPICAL PHYSICAL CHARACTERISTICS

Appearance	Red, smooth, buttery
Base	Vegetable
Oil Viscosity @ 40°C, cSt	Not relevant
Normal Temperature Range, °C	-40 to 110 (for Lucas applications)
NLGI Classification	3
Drop Point, °C	>160
Worked Penetration, mm/10	245-275
Rubber Swell, % volume	70 hour/70°C + 1.8
Neoprene, % volume	70 hour/70°C + 5.1
Butyl Rubber, % volume	70 hour/70°C + 1.1

Health and Safety information sheets are available for all Castrol products from the address below:
Castrol (U.K.) Limited, Pipers Way, Swindon, Wiltshire SN3 1RE, England, Telephone:
Orders/Enquiries (08459)645111, Technical Enquiries (01793)452111, Fax (01793)491442

2 of 2

All reasonable care has been taken to ensure that the information contained in this publication is accurate as at the date of printing. It should be noted however that the information above may be affected by changes occurring subsequent to the date of printing in the blend formulation or methods of application of any of the products referred to or in the requirements of any specification approval relating to any such products.