



Castrol Act>evo Scooter 4T 10W-30

With Zip Boosters

Description

Castrol Act>evo Scooter 4T 10W-30 with ZipBoosters is an advanced, low friction 4-Stroke engine oil designed specifically for gearless scooters. It helps to keep the scooters protected and zippy like new. Scooters are typically ridden in dense city traffic with frequent stop/start; due to closed bodywork and continuously variable transmission, their engines can run very hot. Castrol Act>evo Scooter 4T 10W-30 with ZipBoosters delivers continuous protection from wear and high temperature deposit build-up boosting the zippiness of your engine over time.

Application

Castrol Act>evo Scooter 4T is suitable for 4-stroke scooters of all manufacturers where SL (or below) and JASO MA-2 specifications are recommended, strictly not to be used in wet clutch motorcycle engines

Advantages

- Helps keep scooter protected and as Zippy as New
- ZipBoosters molecules protect critical components from wear and zip robbing deposits
- ZipBoosters molecules deliver low friction co-efficient
- Better corrosion protection capabilities

Typical Characteristics

Name	Method	Units	Castrol Act>evo Scooter 4T 10W-30
Density @ 15C, Relative	ASTM D4052	g/ml	0.88
Viscosity, Kinematic 100C	ASTM D445	mm ² /s	11
Viscosity, CCS -25C (10W)	ASTM D5293	mPa.s (cP)	6486
Viscosity, Kinematic 40C	ASTM D445	mm ² /s	72
Viscosity Index	ASTM D2270	None	144
Flash Point, PMCC	ASTM D93	°C	204

Product Performance Claims

API SL
JASO MA-2

Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

Castrol Act>evo Scooter 4T 10W-30

24 Apr 2020

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol (UK) Limited, PO BOX 354, Chertsey Road, Sunbury On Thames, Middlesex, TW16 9AW

www.castrol.com