

Syntilo 81 BF

Synthetic coolant

Description

Castrol Syntilo™ 81 BF is a synthetic coolant which has been developed for use as a general purpose grinding fluid for ferrous metals. It forms a clear, stable solution in both hard and soft waters. Syntilo 81 BF exhibits very good anti-corrosion properties coupled with a high resistance to bacterial attack.

Application

Syntilo 81 BF is developed for surface, cylindrical, double disk and centreless grinding.

Advantages

- Low foaming in all water conditions to ensure continuous grinding performance
- Inhibits microbial growth to extend fluid life in central systems and individual sumps
- Rejects tramp oil to the surface of the fluid for easy removal
- Boron, chlorine, phenol and nitrite free for environmental compliance
- Maintains corrosion protection in hard water
- Settles chips quickly to prevent grinding wheel build-up and maintain a clean working environment

Typical Characteristics


Name	Test Method	Unit	Syntilo 81 BF
<u>CONCENTRATE</u>			
Appearance	Visual	-	Transparent yellow
Density	ASTM D 1298 / DIN 51757	kg/m ³	1.11 - 1.13
Density	ASTM D 1298 / DIN 51757 / Calculated	lbs/gal	9,38
Mineral Oil content	Calculated	Vol. %	0
<u>SOLUTION</u>			
Appearance	Visual	-	Transparent
pH-value (5%)	ASTM E 70-97 / DIN 51361	-	8.9 - 9.5
Factor Refractometer	-	-	1,5

Recommended Concentrations

Grinding: 3-5%

Concentration Control

% Concentration	Refractometer Reading
3.0	2.00
5.0	3.33
7.0	4.67
10.00	6.67



Syntilo 81 BF
08 Dec 2014
Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol Industrial, Technology Centre , Whitchurch Hill , Pangbourne , Reading , RG8 7QR , United Kingdom

www.castrol.com/industrial