



## POWER1 Scooter 4T 5W-40

With ZipBoosters

### Description

Castrol POWER1 Scooter 4T 5W-40 with ZipBoosters is advanced, low friction 4-Stroke engine oil designed specifically to work in high stress conditions typical of gearless scooters.

Scooters are typically ridden in dense city traffic with frequent stop/start; due to closed bodywork and continuously variable transmission, their engines can run very hot. Castrol POWER1 Scooter 4T 5W-40 with ZipBoosters fights high temperature deposit build-up, minimizes frictional losses and flows fast to help keep scooter engines as Zippy as New.

Castrol POWER1 Scooter 4T - engineered for performance.

### Application

Castrol POWER1 Scooter 4T 5W-40 is suitable for 4-stroke automatic bikes of all manufacturers where SL (or below) and JASO MB specifications are recommended, strictly not to be used in wet clutch motorcycle engines.

### Advantages

- Helps keep Scooter as Zippy as New
- ZipBoosters molecules protect critical components from wear and zip robbing deposits
- ZipBoosters molecules deliver low friction co-efficient
- Power release formula helps to flow fast and reduces internal losses in the engine

## Typical Characteristics

Name	Method	Units	Castrol POWER 1 Scooter 4T 5W-40
Density @ 15C, Relative	ASTM D4052	g/ml	Report
Viscosity, Kinematic 100C	ASTM D445	mm <sup>2</sup> /s	13.5
Viscosity, CCS -30C (5W)	ASTM D5293	mPa.s (cP)	5000
Viscosity, Kinematic 40C	ASTM D445	mm <sup>2</sup> /s	76
Viscosity Index	ASTM D2270	None	170
Pour Point	ASTM D97	°C	-
Flash Point, PMCC	ASTM D93	°C	-

## Product Performance Claims

API SL  
JASO MB

POWER1 Scooter 4T 5W-40  
03 Nov 2015

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol (UK) Limited, PO BOX 354, Chertsey Road, Sunbury On Thames, Middlesex, TW16 9AW

[www.castrol.com](http://www.castrol.com)