



GTX High Mileage 10W-40

Helps Prevent Emission System Failure

Description

Castrol GTX High Mileage is the premium part synthetic motor oil specially formulated for vehicles with over 75,000 miles. As vehicles age, they change and some of these changes can result in costly repairs or replacement. Catalytic converter failure is one of the most common – and costliest problems faced by higher mileage vehicles.

All motor oil contains phosphorus to prevent engine wear. Phosphorus is an industry recognized catalyst poison. Castrol GTX High Mileage is specially formulated with less phosphorus than other leading oils, replacing it with advanced technology invented and patented by Castrol that helps prevent catalytic converter and emission system failure and delivers unsurpassed protection against sludge, wear and oil burn-off*

*vs leading conventional oils, 5W-30 tested

Application

Features and Benefits

- Superior dispersancy that fights sludge build-up
- Exceptional oil burn-off protection exceeding industry standards**
- Seal conditioners to help reduce leaks
- Advanced additives to minimize engine wear
- Improved fuel economy

** Based on API and ACEA volatility specifications

Advantages

API SP

Typical Physical Characteristics

Castrol GTX High Mileage 10W-40

	Method	Result
Viscosity @ 100C, cSt	ASTM D455	15.6 cSt
Low temperature (C) Cranking viscosity, cP max	ASTM D5293	7000 cP max @ -25 C
Low temperature (C) Pumping viscosity, cP max	ASTM D4684	60,000 cP max @ -30 C
HT/HS viscosity, cP min	ASTM D4683	3.5 min
Pour Point (C), max	ASTM D97	-36 C max
Flash Point PMCC C, min	ASTM D93	200 C min
Density @ 15C	ASTM D4052	0.875

Due to continual product research and development, the information contained herein is based on products purchased and subject to change without notification.

Typical properties may vary slightly.

User Advice

Health and Safety

Based on available information, this product is not expected to produce adverse effect on health when used for the applications referred to above and the recommendations provided in the Material Safety Data Sheet (MSDS) are followed. MSDS's are available upon request through your sales contact office or via the Internet at www.castrol.com/us. This product should not be used for purposes other than the applications referred to above. If disposing of used product, take care to protect the environment; return used oil to collection center.

GTX High Mileage 10W-40

30 Dec 2020

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

BP Lubricants USA Inc., 1500 Valley Road, Wayne, NJ 07470

Telephone: 1,800.462.0835

www.castrol.com/us Email: contactus@bp.com