



## Castrol Act>evo 4T 20W-50

Wear Protection Formula

### Description

Castrol Act>evo 4T is high quality 4-stroke engine oil designed with a special Wear Protection Formula to give both reliable engine starting and continuous trouble free running throughout the oil drain period.

Castrol Act>evo 4T's Wear Protection Formula, combined with Trizone Technology™ helps to continually maintain the protecting and lubricating properties of the oil by reducing wear, controlling excessive oil thickening, and keeping critical components clean. This helps to maintain the health of your engine, leading to reliable starting and trouble free running.

### Application

Castrol Act>evo 4T 20W-50 is suitable for four-stroke motorcycle engines where API SG is recommended.

### Advantages

- Special Wear Protection additives for continuous “start and go” protection.
- Outstanding oxidation and wear control throughout the drain period.
- Trizone Technology™ for protection of the engine, clutch and gears.
- Complies with requirements of catalyst equipped engines

### Typical Characteristics

Name	Method	Units	Act>evo 4T 20W-50
Density @ 15C, Relative	ASTM D4052	g/ml	0.882
Viscosity, Kinematic 100C	ASTM D445	mm <sup>2</sup> /s	19.0
Viscosity, Kinematic 40C	ASTM D445	mm <sup>2</sup> /s	167
Viscosity Index	ASTM D2270	None	123
Pour Point	ASTM D97	°C	-27
Flash Point, PMCC	ASTM D93	°C	>200

### Product Performance Claims

API SG

## Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

Castrol Act>evo 4T 20W-50

24 Apr 2020

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol (UK) Limited, PO BOX 354, Chertsey Road, Sunbury On Thames, Middlesex, TW16 9AW

[www.castrol.com](http://www.castrol.com)