SAFETY DATA SHEET



Castrol GTX 5W-30 C3

Safety Data Sheet according to GB/T 16483-2008 and GB/ T 17519-2013

Section 1. Identification

GHS product identifier Castrol GTX 5W-30 C3

Product code 470242-DE01

SDS # 470242

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/ Engine Oils.

mixture For specific application advice see appropriate Technical Data Sheet or consult our

company representative.

Supplier Castrol (Shanghai) Management Co., Ltd.

3F, Building 5, No. 255 of Guigiao Road,

Shanghai P.R.C. 201206 Tel:+86 21 38605888

EMERGENCY TELEPHONE Carechem: + 86 400 120 6011 (24/7)

NUMBER

Section 2. Hazards identification

Classification of the Not classified.

substance or mixture GHS label elements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Other hazards which do not

result in classification USED EN

Defatting to the skin. USED ENGINE OILS

Used engine oil may contain hazardous components which have the potential to

cause skin cancer.

See Toxicological Information, section 11 of this Safety Data Sheet.

Section 3. Composition/information on ingredients

Substance/mixture Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Ingredient name	%	CAS number
stillates (petroleum), hydrotreated heavy paraffinic	≥25 - ≤50	CAS: 64742-54-7
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	≤5	CAS: 125643-61-0
Distillates (petroleum), solvent-dewaxed heavy paraffinic	≤3	CAS: 64742-65-0
Distillates (petroleum), hydrotreated light paraffinic	≤3	CAS: 64742-55-8
Distillates (petroleum), solvent-dewaxed light paraffinic	≤3	CAS: 64742-56-9

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 1/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH

Section 3. Composition/information on ingredients

Alkylated phenol	≤0.1	CAS: 74499-35-7
O,O,O-triphenyl phosphorothioate	≤0.1	CAS: 597-82-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

In case of contact, immediately flush eyes with plenty of water for at least 15 **Eye contact**

minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing.

Check for and remove any contact lenses. Get medical attention.

If inhaled, remove to fresh air. In case of inhalation of decomposition products in a Inhalation

> fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if symptoms occur.

Skin contact Wash skin thoroughly with soap and water or use recognised skin cleanser.

Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. If skin

irritation or rash occurs: Get medical advice/attention.

Do not induce vomiting unless directed to do so by medical personnel. Get medical Ingestion

attention if symptoms occur.

Indication of immediate medical attention and special treatment needed, if necessary

Treatment should in general be symptomatic and directed to relieving any effects. Notes to physician

> In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing

In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Unsuitable extinguishing

media

media

Do not use water jet.

Specific hazards arising

from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal

decomposition products

Combustion products may include the following:

carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide)

nitrogen oxides (NO, NO₂ etc.)

Special protective actions

for fire-fighters

No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire.

Special protective

equipment for fire-fighters

Fire-fighters should wear positive pressure self-contained breathing apparatus

(SCBA) and full turnout gear.

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 2/14

Version 5 **Date of issue** 9/18/2025 **Format China** Language ENGLISH

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment. Floors may be slippery; use care to avoid falling.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. Contaminated work clothing should not be allowed out of the workplace. See also

Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Not suitable Prolonged exposure to elevated temperature.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 3/14

Version 5 **Date of issue** 9/18/2025 **Format China** Language ENGLISH

Section 8. Exposure controls/personal protection

organisation for standards.

Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures Wash hands, for

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Skin protection Hand protection

Safety glasses with side shields.

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Skin protection

Use of protective clothing is good industrial practice.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state
Colour
Amber.

Odour
Not available.

Odour threshold
PH
Not applicable.

Melting point/freezing point
Not available.

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 4/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH

Section 9. Physical and chemical properties

Not available.

Boiling point or initial boiling point and boiling

range

Not available. **Drop Point**

Flash point Closed cup: 197°C (386.6°F) [Pensky-Martens ASTM D 93]

Evaporation rate Not available. **Flammability** Not available. Lower and upper explosion Not available.

limit/flammability limit Vapour pressure

	Vapour Pressure at 20°C		Vapour pressure at		sure at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
stillates (petroleum), hydrotreated heavy paraffinic	<0.07501	<0.01	ASTM D 5191			
Distillates (petroleum), hydrotreated heavy paraffinic	<0.07501	<0.01	ASTM D 5191			
Distillates (petroleum), solvent-dewaxed heavy paraffinic	<0.07501	<0.01	ASTM D 5191			
Distillates (petroleum), hydrotreated light paraffinic	<0.07501	<0.01	ASTM D 5191			
Distillates (petroleum),	<0.07501	<0.01	ASTM D 5191			

Relative vapour density

Relative density

Not available.

<1000 kg/m3 (<1 g/cm3) at 15°C **Density**

Solubility(ies)

Media	Result
water	Not soluble

Partition coefficient: n-

octanol/water

Not applicable.

paraffinic

Not available.

Auto-ignition temperature

Ingredient name	°C	°F	Method	
C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	365	689		

Decomposition temperature

Viscosity

Not available.

Kinematic: 68.7 mm²/s (68.7 cSt) at 40°C

Kinematic: 11.5 to 12.3 mm²/s (11.5 to 12.3 cSt) at 100°C (ASTM D 445)

Particle characteristics

Median particle size Not applicable.

Section 10. Stability and reactivity

Reactivity No specific test data available for this product. Refer to Conditions to avoid and

Chemical stability

Possibility of hazardous

reactions

Incompatible materials for additional information.

The product is stable.

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not

occur.

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 5/14

Version 5 **Date of issue** 9/18/2025 **Format China** Language ENGLISH

Section 10. Stability and reactivity

Conditions to avoid Avoid all possible sources of ignition (spark or flame).

Incompatible materials Reactive or incompatible with the following materials: oxidising materials.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products

products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Distillates (petroleum), hydrotreated light

Distillates (petroleum), solvent-dewaxed light

Acute toxicity

paraffinic

paraffinic

paraffinic

paraffinic

Product/ingredient name Result

Stillates (petroleum), hydrotreated heavy paraffinic Rat - Oral - LD50 >5000 mg/kg

Rabbit - Dermal - LD50

>5000 mg/kg OECD 402

OECD 401

Rat - Inhalation - LC50 Dusts and mists

>5 mg/l [4 hours] OECD 403 **Rat - Oral - LD50** >5000 mg/kg

Distillates (petroleum), solvent-dewaxed Rat - Oral - LD9 heavy paraffinic >5000 mg/kg

Rat - Dermal - LD50 >2000 mg/kg

OECD 401

OECD 402

Rat - Inhalation - LC50 Dusts and mists

>5.53 mg/l [4 hours]

OECD 403 **Rat - Oral - LD50**>5000 mg/kg

OECD 401

Rabbit - Dermal - LD50

>5000 mg/kg OECD 402

Rat - Inhalation - LC50 Dusts and mists

>5.53 mg/l [4 hours]

OECD 403 **Rat - Oral - LD50**>5000 mg/kg

OECD 401

Rabbit - Dermal - LD50

>5000 mg/kg OECD 402

Rat - Inhalation - LC50 Dusts and mists

>2.18 mg/l [4 hours]

OECD 403

Skin corrosion/irritation

Product/ingredient name Result

Sistillates (petroleum), hydrotreated heavy paraffinic Rabbit - Skin - Mild irritant OECD 404

Distillates (petroleum), solvent-dewaxed Rabbit - Skin - Non-irritant to skin. heavy paraffinic

Distillates (petroleum), hydrotreated light Rabbit - Skin - Non-irritant to skin.

Distillates (petroleum), solvent-dewaxed light Rabbit - Skin - Non-irritant to skin.

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 6/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH

Serious eye damage/eye irritation

Product/ingredient name

stillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed light paraffinic

Result

Rabbit - Eyes - Non-irritating to the eyes.

OECD 405

Rabbit - Eyes - Non-irritating to the eyes.

OECD 405

Rabbit - Eyes - Non-irritating to the eyes.

OECD 405

Rabbit - Eyes - Non-irritating to the eyes.

OECD 405

Respiratory corrosion/irritation

Not available.

Respiratory or skin sensitization

Product/ingredient name

vistillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed light paraffinic

Result

Guinea pig - skin

OECD 406

Result: Not sensitising
Guinea pig - skin

OECD 406

Result: Not sensitising

Guinea pig - skin

OECD 406

Result: Not sensitising

Guinea pig - skin

OECD 406

Result: Not sensitising

Germ Cell Mutagenicity

heavy paraffinic

Product/ingredient name

stillates (petroleum), hydrotreated heavy paraffinic

Result

In vitro - Bacteria

Bacterial Reverse Mutation Test

Result: Negative

In vitro - Mammal - species unspecified

In vitro Mammalian Chromosomal Aberration Test

Result: Negative

In vivo - Mammal - species unspecified Mammalian Erythrocyte Micronucleus Test

Result: Negative

In vitro - Mammal - species unspecified In vitro Mammalian Cell Gene Mutation Test

Result: Negative

In vitro - Bacteria

OECD [Bacterial Reverse Mutation Test]

Result: Negative

In vitro - Mammal - species unspecified

OECD [In vitro Mammalian Chromosomal Aberration Test]

Result: Negative

Product name Castrol GTX 5W-30 C3

Distillates (petroleum), solvent-dewaxed

Version 5 Date of issue 9/18/2025

Product code 470242-DE01

Format China Language ENGLISH

China (ENGLISH)

Page: 7/14

Distillates (petroleum), hydrotreated light

Distillates (petroleum), solvent-dewaxed light

paraffinic

paraffinic

In vitro - Bacteria
OECD [Bacterial R

OECD [Bacterial Reverse Mutation Test]

Result: Negative

In vitro - Mammal - species unspecified

OECD [In vitro Mammalian Chromosomal Aberration Test]

Result: Negative In vitro - Bacteria

OECD [Bacterial Reverse Mutation Test]

Result: Negative

In vitro - Mammal - species unspecified

In vitro Mammalian Chromosomal Aberration Test

Result: Negative

Carcinogenicity

Product/ingredient name

Distillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Result

Mouse - Dermal - Unspecified

OECD 451 <u>Result</u>: Negative

Mouse - Dermal - Unspecified

OECD 451 Result: Negative

Reproductive toxicity

Product/ingredient name

Distillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed light paraffinic

Result

Rat - Oral OECD 421

<u>Maternal toxicity</u>: Negative <u>Fertility effects</u>: Negative <u>Developmental</u>: Negative

Rat - Oral OECD 421

<u>Maternal toxicity</u>: Negative <u>Fertility effects</u>: Negative <u>Developmental</u>: Negative

Rat - Oral OECD 421

<u>Maternal toxicity</u>: Negative <u>Fertility effects</u>: Negative Developmental: Negative

Rat - Oral OECD 421

Maternal toxicity: Negative Fertility effects: Negative Developmental: Negative

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 8/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH
China (ENGLISH)

Not available.

Aspiration hazard

Product/ingredient name Result

paraffinic

Distillates (petroleum), solvent-dewaxed ASPIRATION HAZARD - Category 1

heavy paraffinic

Distillates (petroleum), hydrotreated light ASPIRATION HAZARD - Category 1

paraffinic

Distillates (petroleum), solvent-dewaxed light ASPIRATION HAZARD - Category 1

paraffinic

Information on likely routes of exposure

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

Eye contact No known significant effects or critical hazards.

Inhalation Exposure to decomposition products may cause a health hazard. Serious effects

may be delayed following exposure.

Skin contact Defatting to the skin. May cause skin dryness and irritation.

Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact InhalationNo specific data.
No specific data.

Skin contact Adverse symptoms may include the following:

irritation dryness cracking

Ingestion No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs.

Skin contact Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/

or dermatitis.

Ingestion Ingestion of large quantities may cause nausea and diarrhoea.

Short term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Long term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Potential chronic health effects

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 9/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH

General USED ENGINE OILS

Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a

high standard of personal hygiene maintained.

Carcinogenicity

No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name

istillates (petroleum), hydrotreated heavy paraffinic

Result

Acute - EL50 OECD 201 Algae

>100 mg/l [72 hours]

Acute - EL50 OECD 202 Daphnia

>10000 mg/l [48 hours]

Acute - LL50 OECD 203 Fish

>100 mg/l [96 hours] Chronic - NOEL OECD 201

Algae

≥100 mg/l [72 hours]
Chronic - NOEL
OECD 211

Daphnia

10 mg/l [21 days]
Acute - EL50
OECD 201

Algae

>100 mg/l [72 hours]

Acute - EL50 OECD 202 Daphnia

>10000 mg/l [48 hours]

Acute - LL50 OECD 203

Fish

>100 mg/l [96 hours] Chronic - NOEL

OECD 201

Algae

≥100 mg/l [72 hours] **Chronic - NOEL**

OECD 211 Daphnia

10 mg/l [21 days] **Acute - EL50**

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-dewaxed

heavy paraffinic

OECD 201

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 10/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH

Distillates (petroleum), solvent-dewaxed light

>100 mg/l [72 hours]

Acute - EL50 **OECD 202** Daphnia

>10000 mg/l [48 hours]

Acute - LL50 **OECD 203**

Fish

>100 mg/l [96 hours] **Chronic - NOEL OECD 201**

Algae

≥100 mg/l [72 hours] **Chronic - NOEL OECD 211**

Daphnia

10 mg/l [21 days]

Acute - EL50 **OECD 201**

Algae

>100 mg/l [72 hours]

Acute - EL50 **OECD 202** Daphnia

>10000 mg/l [48 hours]

Acute - LL50 **OECD 203** Fish

>100 mg/l [96 hours] **Chronic - NOEL OECD 201**

Algae

≥100 mg/l [72 hours] **Chronic - NOEL OECD 211** Daphnia

10 mg/l [21 days]

Environmental effects

No known significant effects or critical hazards.

Persistence/degradability

Expected to be biodegradable.

Product/ingredient name

vistillates (petroleum), hydrotreated heavy

paraffinic

paraffinic

Distillates (petroleum), solvent-dewaxed

heavy paraffinic

Distillates (petroleum), hydrotreated light

paraffinic

Distillates (petroleum), solvent-dewaxed light

paraffinic

Result

OECD 301F

31% [28 days] - Not readily

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 11/14

Version 5 **Date of issue** 9/18/2025 **Format China** Language ENGLISH

Product/ingredient name	LogP _{ow}	BCF	Potential	
reaction mass of isomers of:	9.2	-	High	
C7-9-alkyl 3-(3,5-di-tert-				
butyl-4-hydroxyphenyl)				
propionate				
Alkylated phenol	6.1	-	High	

Mobility in soil

Soil/water partition coefficient

Not available.

Mobility

Spillages may penetrate the soil causing ground water contamination.

Other adverse effects
Other ecological information

No known significant effects or critical hazards.

Spills may form a film on water surfaces causing physical damage to organisms.

Oxygen transfer could also be impaired.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	China GB12268	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user

Not available.

Matters needing attention for transportation

Ensure that any additional local government transport conditions are met

Product name Castrol GTX 5W-30 C3

Product code 470242-DE01

Version 5 Date of issue 9/18/2025

Format China Language

470242-DE01 Page: 12/14

Language ENGLISH

Section 15. Regulatory information

List of Goods banned for Importing

None of the components are listed.

Drug Precursors Requiring an Import/Export License

None of the components are listed.

Catalogue and classification of drug precursor chemicals

None of the components are listed.

List of Explosive Precursors

None of the components are listed.

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

Safety, health and environmental regulations specific for the product

No known specific national and/or regional regulations applicable to this product (including its ingredients).

Regulation according to other foreign laws

REACH StatusThe company, as identified in Section 1, sells this product in the EU in compliance

with the current requirements of REACH.

Australia inventory (AIIC)

All components are listed or exempted.

Canada inventory

China inventory (IECSC)

Japan inventory (CSCL)

Korea inventory (KECI)

All components are listed or exempted.

All components are listed or exempted.

Philippines inventory

(PICCS)

At least one component is not listed.

Taiwan Chemical Substances Inventory

(TCSI)

All components are listed or exempted.

United States inventory

(TSCA 8b)

All components are active or exempted.

Section 16. Other information

History

Date of printing 9/18/2025

Date of issue/Date of 9/18/2025

revision

Date of previous issue 7/11/2025

Version 5

Prepared by Product Stewardship

Product name Castrol GTX 5W-30 C3 Product code 470242-DE01 Page: 13/14

Version 5 Date of issue 9/18/2025 Format China Language ENGLISH

Section 16. Other information

Key to abbreviations

ACGIH = American Conference of Industrial Hygienists

CAS Number = Chemical Abstracts Service Registry Number

GHS = Global Harmonised System

IATA = International Air Transport Association, the organisation

IMDG = International Maritime Organization Rules, rules governing shipment of goods by water.

OEL = Occupational Exposure Limit

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Regulation [Regulation (EC) No. 1907/2006]

SDS = Safety Data Sheet

STEL = Short term exposure limit TWA = Time weighted average

UN Number = United Nations Number, a four digit number assigned by the United

Nations Committee of Experts on the Transport of Dangerous Goods. Varies = may contain one or more of the following 64741-88-4, 64741-89-5,

64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1,

64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0,

72623-87-1

References

Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Date of issue/Date of revision : 9/18/2025 Date of previous issue : 7/11/2025 Version : 5 14/14

Product name Castrol GTX 5W-30 C3

Product code 470242-DE01

Page: 14/14

Version 5

Date of issue 9/18/2025

Format China

Language ENGLISH